

SAFETY DATA SHEET

Sure-Shield® TPER Waterstop

SECTION 1. SUPPLIER IDENTIFICATION

Name **CJSA**
Address Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169,
Australia.

Note: The details and information stated within this SDS have been provided by the manufacturer.
Refer to www.cjsa.net.au to obtain the most recent SDS.

SECTION 1.1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture
THERMOPLASTIC VULCANIZATE (TPV/TPER)

Further trade names
SURE-SHIELD TPER WATERSTOP

Use of the substance/ mixture
Construction industry

SECTION 2. HAZARDS IDENTIFICATION

Classification
The preparation is not dangerous in the sense of Directive 1999/45/EC.

Explication of special hazards for human health and environment
Preparation/mixture without hazards for human health or environment
Repeated long inhalation of decomposition products can lead to lung oedema.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA
Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.
Tel +61 432 423 103
Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

Sure-Shield® TPER Waterstop

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization (Mixture)

TPV /TPER Dynamically Vulcanized PP/EPDM

Further Information

2,5-Dimethyl-2,5-di-(tert.-butylperoxy)-hexane

Cas No: 78-63-7

Concentration < 0,4

SECTION 4. FIRST AID MEASURES

General information

First aid assistant: Pay attention to self-protection!

Provide adequate ventilation.

After inhalation

Provide adequate ventilation.

In case of inhalation of decomposition products, take the affected person into the fresh air and sit him quietly.

Consult physician.

After contact with skin

The melted product can cause severe burns.

Do not try to remove product crusts from affected parts of the skin by force or by using solvents.

Following contact with the melted product, quickly cool affected skin area with water.

Consult physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Consult physician.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.

Tel +61 432 423 103

Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

SURE-SHIELD® TPER Waterstop

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water, foam, carbon dioxide (CO₂) & extinguishing powder.

Special exposure hazards arising from substance or mixture itself, combustion products, resulting gases

Carbon dioxide, carbon monoxide, hydrocarbons, alcohol resistant foam & sand.

Special protective equipment for fire-fighters

In case of fire: Wear self-contained breathing apparatus & protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions

No special personal precautions

Environmental precautions

No special environmental protection measures are necessary.

Methods for cleaning up/taking up

Collect mechanically. Treat the assimilated material according to the section on waste disposal.

Do not empty into drains.

SECTION 7. HANDLING AND STORAGE

Handling

Advice on safe handling

Provide adequate ventilation.

Storage

Requirements for storage rooms and vessels

Keep in a cool place.

Provide adequate ventilation.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,

South Australia 5169, Australia.

Tel +61 432 423 103

Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

Sure-Shield® TPER Waterstop

SECTION 7. HANDLING AND STORAGE (CONTINUED)

Storage (continued)

Advice on storage compatibility

Storage stability:

Storage temperature: < 40 °C unlimited durability.

No special precautionary measures are necessary.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

Exposure controls

Protective and hygiene measures

Provide adequate ventilation. Equipment with built-in suction provisions.

When using do not eat, drink or smoke. Do not breathe dust.

Respiratory protection

Respiratory protection required in case of: In the case of the formation of dust. (half-mask with filter [DIN EN 149])

Hand protection

Wear suitable gloves.

Eye protection

Wear eye/face protection.

Skin protection

Only wear fitting, comfortable and clean protective clothing.

In case of increasing hazard add: heat resistant synthetic fibers.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.

Tel +61 432 423 103

Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

Sure-Shield® TPER Waterstop

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

General information

Physical state	:	Formed profile
Colour	:	Black
Odour	:	Odourless

Important health, safety and environmental information

Changes in the physical state		Test method	
Melting point	:	155-164 °C	ISO 3146
Softening point	:	50-115 °C	ISO 306
Flash point	:	not applicable	

Explosive properties
not applicable

Oxidizing properties
not applicable

Vapour pressure	:	not applicable	
Density (at 23 °C)	:	0,93-0,99 g/cm ³	ISO 1183
Water solubility	:	Insoluble	
Solubility in other solvents	:	Partially soluble in cyclohexane. Fully soluble in boiling xylene.	
Partition coefficient	:	Not applicable	
Viscosity / dynamic	:	Not applicable	
Viscosity / kinematic	:	Not applicable	
Vapour density	:	Not applicable	
Evaporation rate	:	Not applicable	

9.2. Other information

Point of decomposition > 300 at °C	:	
Point of auto-ignition >370 at °C	:	

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.
Tel +61 432 423 103
Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

Sure-Shield[®] TPER Waterstop

SECTION 10. STABILITY AND REACTIVITY

10.4. Conditions to avoid

Molten resin temperatures above 300 °C

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. hydrocarbons.

Further information

No risks worthy of mention.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

not applicable

Specific effects in experiment on an animal

not applicable

Irritation and corrosivity

not applicable

Sensitising effects

not applicable

Severe effects after repeated or prolonged exposure

not applicable

Carcinogenic/mutagenic/toxic effects for reproduction

not applicable

Further information

Not an irritant. When used and handled according to the specifications, this product does not have any harmful effects to human health according to our experience and the information available. Contact the manufacturer in case the material is to be used in special applications such as in contact with food or for hygiene, medical or surgical end-use.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.

Tel +61 432 423 103

Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

Sure-Shield® TPER Waterstop

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Insoluble in : Water

Ecotoxicological effects : none/none

Due to the consistency along with the low water solubility of the product, bioavailability is unlikely.

Mobility

Floats on water. Remains on surface of soil.

12.2. Persistence and degradability

Expected to be not inherently biodegradable.

Persist under anaerobic conditions.

12.3. Bioaccumulative potential

Not expected to bioaccumulate.

12.6. Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Advice on disposal

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Refer to manufacturer/supplier for information of recovery/recycling.

Material recycling possible.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.

Tel +61 432 423 103

Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

Sure-Shield[®] TPER Waterstop

SECTION 14. TRANSPORT INFORMATION

Land transport (ADR/RID)

ADR/RID class : none/none

Description of the goods

Not a hazardous material with respect to transportation regulations.

Inland waterways transport (ADN)

ADNR class : none/none

Description of the goods

Not a hazardous material with respect to transportation regulations.

Marine transport (IMDG)

IMDG code : none/none

Description of the goods

Not a hazardous material with respect to transportation regulations.

Air transport (ICAO)

ICAO/IATA-DGR : none/none

Description of the goods

Not a hazardous material with respect to transportation regulations.

Other applicable information (air transport)

ICAO/IATA-DGR : none/none

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.
Tel +61 432 423 103
Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au



SAFETY DATA SHEET

Sure-Shield® TPER Waterstop

SECTION 15. REGULATORY INFORMATION

Labelling

EU regulatory information

Additional information

According to Directive 1999/45/EC or Appendix VI to Directive 67/548/EEC the preparation requires no special labelling.

nwg (KBwS-Einstufung), KBwS-Nr.: 766

National regulatory information

SECTION 16. OTHER INFORMATION

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Disclaimer:

This safety datasheet should be used in conjunction with technical datasheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose than that for which it was intended. This does not in any way excuse the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfil his obligations regarding the use of hazardous products. This information is not exhaustive. This does not exonerate the user from ensuring that legal obligations, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility. Furthermore, this safety datasheet is made up based on the legal requirements as set by EC 1907/2006 based on information as is available per June 1, 2007 (date of entry into force). That information that is not yet filled in depends on the input we receive from our suppliers following the time scale as foreseen by EC 1907/2006 and depends solely on the registration of the concerned substances. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet).

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice.

CJSA

Unit 2, 18 Farrow Circuit Seaford Rise,
South Australia 5169, Australia.

Tel +61 432 423 103

Email admin@cjsa.net.au



admin@cjsa.net.au
www.cjsa.net.au