

# SAFETY DATA SHEET

## HydroSEC Type III™ Self-Expanding Cork Fillerboard

### **SECTION I. SUPPLIER IDENTIFICATION**

Name : **CJSA**  
Address : Unit 2, 18 Farrow Circuit Seaford Rise,  
South Australia 5169,  
Australia.

The details and information stated within this SDS have been provided by the manufacturer.  
Manufacturer's Reference Number: MSDS-02099/January 2018  
Refer to [www.cjsa.net.au](http://www.cjsa.net.au) to obtain the most recent SDS.

---

### **SECTION I.I. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product Name : HydroSEC Type III™  
Manufacturer's Reference : MSDS-02099/January 2018

---

### **SECTION 2. HAZARDS IDENTIFICATION**

The product is not considered to have any hazards according to Directive 2008/1272/EC.

---

### **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Cork granules agglomerated with a polyurethane binder.

---

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice. Any use of this product; HydroSEC Type III™ Cork Fillerboard in any application should be approved as suitable for use/application by the Design Engineer and Project Manager.

**CJSA**  
Unit 2, 18 Farrow Circuit Seaford Rise,  
South Australia 5169, Australia.  
Tel +61 432 423 103  
Email [admin@cjsa.net.au](mailto:admin@cjsa.net.au)



[admin@cjsa.net.au](mailto:admin@cjsa.net.au)  
[www.cjsa.net.au](http://www.cjsa.net.au)



# SAFETY DATA SHEET

## HydroSEC Type III™ Self-Expanding Cork Fillerboard

### **SECTION 4. FIRST AID MEASURES**

Not applicable.

---

### **SECTION 5. FIRE FIGHTING MEASURES**

Suitable extinguishing media	:	Water, foam, dry powder or carbon dioxide (CO <sub>2</sub> )
Unsuitable extinguishing media	:	Not applicable
Specific Hazards	:	Unknown risk of formation of toxic pyrolysis products.
Protective equipment for firefighters	:	In case of fire, wear a self-contained breathing apparatus.
Additional information	:	Fire residues must be disposed in accordance with local regulations.

---

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Individual precautions	:	Avoid ignition sources
Environment precautions	:	No special precaution
Cleaning methods	:	Not applicable

---

### **SECTION 7. HANDLING AND STORAGE**

Handling	:	No special precaution
Storage	:	Store at room temperature, protected from sunlight and moisture.

---

### **SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION**

Occupational exposure Limits	:	None know or established.
Professional exposition control	:	
a) Respiratory protection	:	None required, in normal conditions.
b) Hand protection	:	None required, in normal conditions.
c) Eye protection	:	None required, in normal conditions.
d) Skin protection	:	None required, in normal conditions.
Environment exposition control	:	No special requirement

---



# SAFETY DATA SHEET

## HydroSEC Type III™ Self-Expanding Cork Fillerboard

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	Solid in block or sheet form
Colour	:	Natural
Odour	:	Cork
Specific gravity (25 °C)	:	0.3
Flash point	:	Not applicable.
Solubility in water	:	Insoluble.

---

### **SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid	:	Material is stable in recommended use conditions.
Materials to avoid	:	Strong alkalis (dissolve cork).
Hazard decompositions products	:	The product is stable at ambient temperature.

---

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute toxicity	:	None information of toxicity available.
Irritation	:	None known.
Sensitization	:	None known.

---

### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity	:	None known.
Persistence and degradation	:	None known.

---



# SAFETY DATA SHEET

## HydroSEC Type III™ Self-Expanding Cork Fillerboard

### **SECTION 13. DISPOSAL CONSIDERATION**

Residues	:	In accordance with federal, state and local regulations. Always consult the relevant local authority before disposal. Is not an hazardous waste as defined by Directive 91/689/EC.
Elimination method	:	Reuse and/or recycle. If not possible, landfill disposal or incineration.
Packaging	:	It can be reused.

### **SECTION 14. TRANSPORT INFORMATION**

Road & Rail (ADR/RID)	:	Not regulated
Sea (IMDG/IMO)	:	Not regulated
Air (ICAO/IATA)	:	Not regulated

### **SECTION 15. REGULATORY INFORMATION**

EEC Directive	:	Reach Regulation 2006/1907/EC; 2008/127/EC
EC classification/Labeling	:	-
Dangerous preparation	:	Not classified as dangerous
Inventories	:	EINECS (EU) : conforms
		TSCA (USA) : conforms
		DSL (Canada) : conforms

### **SECTION 16. OTHER INFORMATION**

The information given in this Safety Data Sheet is based on knowledge available at the time of compilation and is intended to describe the product only in terms of health and safety requirements. It does not signify any warranty with regard to specific properties or specifications.

The information and the recommendations relating to the application and end use of this product are given in good faith and are based on the information provided by the manufacturer of the product and/or the Company's current knowledge and experience in connection with the product when properly stored, handled and applied under normal conditions and no liability of final function at the job site is assumed. In practice, the differences in materials substrates and actual site conditions are such that no warranty in respect of merchantability of or fitness for particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written and/or oral recommendations, or from any other advice offered by the Company. The Company also has no express or implied knowledge of any particular purpose for which the product is required and any such information given will not be taken into account in the supply of this product. No responsibility or liability by the Company will be accepted for misuse, misreading or derivation from recommended guidelines in respect of this product and the user shall determine the suitability of the product for his intended use and assume all risks and liability in connection therewith. The information contained in our brochure may change at any time without notice. Any use of this product; HydroSEC Type III™ Cork Fillerboard in any application should be approved as suitable for use/application by the Design Engineer and Project Manager.

#### **CJSA**

Unit 2, 18 Farrow Circuit Seaford Rise,  
South Australia 5169, Australia.  
Tel +61 432 423 103  
Email admin@cjsa.net.au



admin@cjsa.net.au  
www.cjsa.net.au